



KONICA MINOLTA

Giving Shape to Ideas

# ENHANCED PERFORMANCE, COMPACT SOLUTION

A3 Monochrome bizhub 368e Series



**bizhub** 368e / 308e

# ENHANCE BUSINESS PRODUCTIVITY

Achieve higher productivity & swift output monochrome document at high resolution.

Professional and quality production of business document has never been easier.

Securely handling confidential business data and flexibility in high volume finishing with advanced solutions.

Intuitively taking advantage of feature-rich capabilities.

**4.5**<sub>sec.</sub>  
First copy time

(4.5 seconds on bizhub 368e)  
(4.8 seconds on bizhub 308e)

**20**<sub>sec.</sub>  
Warm-up time

(20 seconds or less on bizhub 368e)  
(18 seconds or less on bizhub 308e\*)

\* From sub-power mode

**36**<sub>ppm</sub>  
Output

(36 ppm on bizhub 368e)  
(30 ppm on bizhub 308e)

**160**<sub>ipm\*</sub>  
Single-pass  
duplex scanning


\* When equipped with DF-704





### High-speed colour scanning

Two-sided colour hardcopies can be scanned with precision at 160 ipm with Dual Scan Document Feeder.



### User-friendly multi-touch panel

The 9-inch multi-touch panel increases affinity with mobile devices through mobile touch area.

Widget function is included to improve usability. Environment friendly functions such as visualisations of power consumption and Eco level are available.



### Simple, solid security

Flexible authentication support, easy initial security setup and other security conveniences simplify protection of company assets.




# HASSLE FREE CONNECTIVITY

## > Connectivity that supports diverse work styles

### Mobile printing

Use the latest mobile technologies to connect with bizhub, print documents, import scanned data and more from smartphones and tablets.

	iOS / Mac OS	Android	Windows Mobile
 <b>AirPrint</b> Apple's standard printing system compatible with iOS 4.2 and Mac OS 10.7 or later. A compatible multifunction printer on your wireless LAN can be used.	✓	✗	✗
 <b>Mopria Print Service</b> Wireless printing technology established by Mopria Alliance. It allows users to print from devices installed with Android 4.4 or later.	✗	✓	✗
 <b>Google Cloud Print 2.0 Ready</b> A cloud print service provided by Google. You can print from any location via the internet regardless of OS or device type.	✓	✓	✓*
 <b>Konica Minolta Print Services</b> Print directly to bizhub via a wireless LAN from all apps that supports Android's print function.	✗	✓	✗
 <b>Konica Minolta Mobile Print</b> Connect mobile devices with bizhub via WiFi to print documents and images as well as import scanned data.	✓	✓	✓

\* Appropriate third party mobile print App is required.

### Wireless LAN\*

Access Point mode and Simple Access Point mode via Wireless LAN allow computers and mobile devices in your office to wirelessly connect with bizhub 368e/308e. This creates a fully independent network that supports BYOD (bring your own device) without additional investment. Connection with your company's existing wireless LAN is also supported.

\* Optional upgrade Kit UK-212 or UK-215 is required.

#### AP mode and Simple AP mode (Wireless LAN)



Up to 5 devices can access bizhub 368e/308e simultaneously in AP mode with UK-212 equipped.

Up to 4 devices can access bizhub 368e/308e simultaneously in Simple AP mode with UK-215 equipped.



### Convenient Mobile Touch Area

Pair Android mobile devices\*<sup>1</sup> with bizhub 368e/308e by simply holding them close to the Mobile Touch Area on the multi-touch panel. Near Field Communication (NFC) ensures smooth, quick connections. The Mobile Touch Area can also be used to log in, print files, scan documents and import scanned data\*<sup>2</sup>. iOS devices pair using Bluetooth Low Energy (BLE)\*<sup>3</sup>.

\*<sup>1</sup> Android OS 4.4 or higher and Konica Minolta Mobile Print must be installed.

\*<sup>2</sup> Initial setup required for logging in. Wireless LAN environment required for printing and scanning.

\*<sup>3</sup> Optional Device Connection I/F Kit EK-609 is required.



### bizhub Remote Access

The bizhub Remote Access app allows operation of bizhub 368e/308e from Android devices and iPhone/iPad/iPod touch. You can wirelessly operate bizhub hardware and software keys, enter data, import scanned data, send data from bizhub 368e/308e using the mobile device's address book and more.



# ENHANCE SECURITY FEATURE

## > Advanced security technology

### Easy authentication

You will be able to customise password, using Identity card or biometric (finger vein) authentication while using the bizhub 368e/308e to release printing, scan to mailbox or faxing to prevent confidential data leakage. In addition to regular authentication via server, server-free authentication can also be performed directly to the main unit with the detailed control of access to each function. It complements your company's existing security measures to protect important data and hardcopy resources and prevent unauthorised bizhub access and strengthen risk management.

### IC card authentication



You will be able to use the issued IC card and wave over a card reader on the multifunction printer to release print jobs or to scan documents. Authentication can also be performed with any Android device\* equipped with NFC function.

\*Requires Android 4.4 or later that supports HCE (Host Card Emulation).  
Notes: Optional Authentication Unit AU-201S is required. Compliant non-contact IC cards include FeliCa (IDm), SSFC, FCF, FCF (campus), FeliCa Private and MIFARE (UID).

### Biometric finger vein authentication




The finger vein authentication uses images of vein patterns captured by scanning the finger. This biometric measurement uses an internal characteristic as identification, and is nearly impossible to falsify.

Note: Optional Biometric Authentication Unit AU-102 and Working Table WT-506 are required.

### HDD mirroring\*

Data is saved into the main HDD & duplicated on a backup HDD real time. If the main HDD fails, the multifunction printer will automatically switch to the backup HDD to prevent operational downtime and data loss.


\*Optional HDD Mirroring Kit HD-524 is required.



### TPM (Trusted Platform Modules)

Confidential information such as certificates and passwords can be securely managed in bizhub 368e/308e. Just activate the TPM function to encrypt the information and save it in a dedicated storage area in the TPM security chip. This prevents unauthorised reading from external devices.


\*Optional i-Option LK-115 v2 is required.



### PDF password protection

Encrypted PDF\* files are protected by user passwords. Permission to print or copy the PDF and permission to add PDF contents can be configured during the scanning phase.

\*Optional upgrade Kit UK-211 and i-Option LK-102v3 or LK-110v2 are required.



### Compliance with industry standards

The bizhub 368e/308e meets IEEE 2600.1 international protection profile standards, ensuring a high level of document security. All security features have been independently evaluated and certified ISO 15408 EAL3 compliant.

# OPERATIONAL EASE AND EFFICIENCY


## User-friendly multi-touch panel

With an intuitive 9-inch multi-touch panel, you can enjoy the same touch gesture used on mobile devices for simplified operation. Up to 23 shortcut keys can be set up in the main menu for quick and easy access to frequently used functions.

## Hardcopy digitisation

Scanned hardcopies can be saved as searchable PDFs\*<sup>1</sup> or editable files in the PowerPoint, Excel or Word format\*<sup>2</sup>. The files are small with excellent image quality and can be saved in the internal HDD or mobile devices.

\*<sup>1</sup> Optional i-Option LK-102 v3 or LK-110 v2 is required.  
 \*<sup>2</sup> Editable Excel/Word formats require optional i-Option LK-110 v2.  
 Note: Optional upgrade Kit UK-211 is required.



## INFO-Palette design

You could operate bizhub 368e/308e from its intuitive touch panel, from a connected PC or mobile device installed with bizhub Remote Access. The same intuitive user interface is shared to make operation a breeze.

## High-speed colour scanning



Colour hardcopies are scanned with precision and speed at 80ipm (simplex) with DF-629\* or 160ipm (duplex) with DF-704\*.

\* When feeding A4 paper sideways (at 300 dpi resolution)

**OR**

**PC-115** (optional)  
Max. A3 / 500 sheets  
Total 1,650 sheets

**OR**

**PC-215** (optional)  
Max. A3 / 500 sheets × 2  
Total 2,150 sheets

**OR**

**PC-415** (optional)  
Max. A4 / 2,500 sheets  
Total 3,650 sheets

**Select One**

Std. sheets	<b>1,150</b>
Max. sheets	<b>6,650</b>










- Multiple Bypass Tray** (standard)  
Max. SRA3 / 150 sheets
- Universal tray** (standard)  
Max. A3 / 500 sheets
- Universal tray** (standard)  
Max. SRA3 / 500 sheets
- LU-302** (optional)  
Max. A4 / 3,000 sheets

\*The paper supply capacity for all models is based on 80 g/m<sup>2</sup>.

## Finishes

Four optional finishers are available for post-processing tasks. Finishers FS-536 include a 3,000-sheet capacity unit (2,000 sheets on FS-536SD), booklet functions, folding functions and more. Inner finisher FS-533 handles stapling within compact bizhub dimensions.



Features  Finishers	Sorting (offset sorting)	Stapling	Saddle stitching (booklet) & folding	Punching	Cover sheet & insert sheet
					
FS-536 <sup>*1, 2, 3</sup> 	✓	Thin/normal (52 - 90g/m <sup>2</sup> ): 50 sheets Thick (91 - 120g/m <sup>2</sup> ): 30 sheets Extra thick (121 - 209g/m <sup>2</sup> ): 15 sheets	✗	Punch kit PK-520 (up to 300g/m <sup>2</sup> )	✓
FS-536SD <sup>*1, 2, 3</sup> 	✓	Thin/normal (52 - 90g/m <sup>2</sup> ): 50 sheets Thick (91 - 120g/m <sup>2</sup> ): 30 sheets Extra thick (121 - 209g/m <sup>2</sup> ): 15 sheets	Max. 20 sheets	Punch kit PK-520 (up to 300g/m <sup>2</sup> )	✓
FS-533 	✓	Max. 50 sheets <sup>*4</sup> (52 - 90g/m <sup>2</sup> )	✗	Punch kit PK-519 (up to 157g/m <sup>2</sup> )	✓
JS-506 	✓	✗	✗	✗	✓

\*1 Paper output to the main body is possible. Up to three output destinations can be set.

\*2 Relay unit RU-513 is required.

\*3 Parallel stapling is only compatible with A4/B5 vertical and A5 horizontal on FS-536/FS-536SD.

\*4 Diagonal corner stapling is not possible.

# VERSATILE FEATURE


## Emperon printing system

Konica Minolta's proprietary Emperon unified printing system is embedded with network printing functions. It provides a comfortable printing experience in any office network environment regardless of OS used.



## N-in-One copying


Copy multiple pages on a single sheet of papers to reduce paper costs and facilitate viewing of related pages. You can copy up to 8 pages on a single side of paper when scanning a paper document and up to 16 pages.



## Banner print


Able to create attractive promotional material in-house. Maximum length of the banner will be up to 1,200mm.

\* Optional Banner Paper Setting Guide MK730 is required.



## USB port

Simply plug in your flash drive into the USB port to perform printing and scanning. It can also be used as a storage or document transfer to the device.



Notes: Compatible with PDF, Compact PDF, JPEG, TIFF, XPS, Compact XPS, OOXML (docx, xlsx, pptx) files. Some USB flash drives may not be compatible. Print output may differ from what appears on the PC screen.

## Scan preview

Scanned document can be previewed on the touch panel before saving or sending. You can scroll through the page or rotate them and delete unnecessary page before scanning or sending to specific email.

## ID copy

Scan and print the contents of the front and back sides of a card, for example, identity card, driver's license, or business card, and copies them together on one page.



## Automatic paper size measurement


Automatically measures the size of non-standard sized paper placed on the platen. User can also register the size in the memory if desired. This feature eliminates measurement mistake or input error.

	Size	Basic weight
Tray 1	width : 139.7mm - 297mm length: 182mm - 431.8mm	52 - 255g/m <sup>2</sup>
Tray 2	width : 139.7mm - 320mm length: 182mm - 457.2mm	


## Server-less pull printing

It enables execution of print jobs, which have been sent from the computer and stored in the main MFP, from any MFP in a serverless pull printing group. User can authenticate themselves at any MFP on the network print group ( up to 10 MFPs x 10 groups ) to release print job.

Note: Optional i-Option LK-114 is required for each MFP. If bizhub 368e/308e is used as main MFP, Upgrade Kit UK-211 is required.



## Ubiquitous printing without a server



Up to 100 MFPs can be connected without a server.




# MINIMAL ENVIRONMENTAL IMPACT



## Low power consumption

Minimises energy use during normal operation. bizhub 368e/308e easily clear the latest Energy Star Program TEC standards and reduce both CO<sub>2</sub> emissions and TCO.

TEC values (kWh)



\*Values for 220-240 V


\*TEC values applied to the International Energy Star Program Version 2.0

## Sleep mode


bizhub 368e/308e automatically switches to sleep mode after a user-defined period of inactivity. This mode reduces power consumption to a mere 0.5W by cutting off power to the CPU. When users want to use bizhub 368e/308e again, it switches back to full power in seconds.

## Eco-friendly materials


Approximately 78% of the outer surfaces and 36% of the weight of resin parts on bizhub 368e/308e consist of recycled materials. This includes PC/PET developed by Konica Minolta using advanced chemical processing technology. 70% of PC/PET on outer surfaces is PCR (post-consumer recycled).



OPTION DIAGRAM - bizhub 368e / 308e



FINISHING FUNCTIONALITIES - bizhub 368e / 308e



System Overview

System memory	2GB (standard) / 4GB (maximum)
System hard disk	250 GB (standard)
Interface	10-BASE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 2.0 Wi-Fi 802.11a/b/g/n/ac (optional)
Network protocols	TCP/IP (IPv4/IPv6), NetBEUI, SMB, LPD, IPP, SNMP, HTTP
Frame types	Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP
Automatic document feeder (optional)	Up to 100 originals, A6-A3, 35-163 gsm
Printable paper size	A6-SRA3, customised paper sizes, banner paper max. 1,200 x 320 mm
Printable paper weight	52-300 gsm
Paper input capacity	Standard: 1,150 sheets, Max.: 6,650 sheets
Tray 1	500 sheets, A5-A3, 52-256 gsm
Tray 2	500 sheets, A5-SRA3, 52-256 gsm
Tray 3 PC-110 (optional)	500 sheets, A5-A3, 52-256 gsm
Tray 4 PC-210 (optional)	2 x 500 sheets, A5-A3, 52-256 gsm
Paper feed cabinet PC-410 (optional)	2,500 sheets, A4, 52-256 gsm
Large capacity unit LU-302 (optional)	3,000 sheets, A4/Letter, 52-256 gsm
Bypass tray	150 sheets, A5-SRA3, custom sizes, banner, 60-300 gsm
Automatic duplexing	A5-SRA3, 52-256 gsm
Finishing modes (optional)	Group, sort, staple, punch, output tray, booklet, centre fold, letter fold, Z-fold
Power consumption	[220-240 V, 8A, 50/60 Hz] less than 1.58 kW (system)
System dimensions <sup>*1</sup>	[W x D x H] 615 x 685 x 779mm (24.2 x 27.0 x 30.7inch)
System weight <sup>*2</sup>	Approx. 76 kg (167.5 lb)

<sup>\*1</sup> Excluding ADF and lower paper tray unit

<sup>\*2</sup> Including Drum/Toner bottle

Copier Specifications

Copying process	Electrostatic laser copy, intermediate
Toner system	Simitri®HD Polymerized Toner
Copy/print speed A4	368e: Up to 36 ppm, 308e: Up to 30 ppm
Copy/print speed A3	368e: Up to 18 ppm, 308e: Up to 15 ppm
1st copy out time	368e: 4.5sec or less, 308e: 4.8sec or less
Warm-up time <sup>*3 *4</sup>	368e: 20 sec., 308e: 18 sec. or less; 20 sec. or less <sup>*4</sup>
Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-9,999
Original format	A6S, B6S, A5-A3
Magnification	25-400% in 0.1% steps, auto-zooming

<sup>\*3</sup> Time period from when the sub power off mode is released to when this machine is ready for printing while the Main Switch is in the ON state.

<sup>\*4</sup> Time period from when the Main Power Switch is turned on to when this machine becomes ready for printing.

Printer Specifications

Print resolution	1,800 (equivalent) x 600 dpi, 1,200 x 1,200 dpi
Page Description Language	PostScript 3 (3016) Emulation, PCL 6 (XL Version 3.0) Emulation, PCL 5e/c Emulation, XPS
Operating systems	Windows 7 (32/64), Windows 8.1 (32/64), Windows 10 (32/64), Windows Server 2008 (32/64), Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Macintosh OS X 10.8 or later, Linux, Unix, Citrix
Printer fonts	80 PCL, 137 PostScript 3 Emulation
Mobile printing	AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print Service (Android), Konica Minolta Mobile Print (iOS, Android, Windows 10 Mobile)

Scanner Specifications

Scan speed <sup>*5</sup> with DF-629 (optional)	1-sided original: 55 ipm @ 600 dpi, 80 ipm @ 300 dpi 2-sided original: 26 ipm @ 600 dpi, 37 ipm @ 300 dpi
Scan speed <sup>*5</sup> with DF-704 (optional)	1-sided original: 55 ipm @ 600 dpi, 80 ipm @ 300 dpi 2-sided original: 110 ipm @ 600 dpi, 160 ipm @ 300 dpi
Resolution	Max.: 600 x 600 dpi
Scan modes	Scan to Email, Scan to PC (SMB), Scan to FTP, Scan to WebDAV, Scan to BOX (HDD), Scan to WSD (Web Service), Scan to DPWS (Device Profile for Web Service), Scan to Scan Server, Scan to USB memory, Network TWAIN scan, Scan to Me, Scan to Home
File formats	JPEG, TIFF, PDF, PDF/A-1a <sup>®</sup> , PDF/A-1b <sup>®</sup> , compact PDF, encrypted PDF and searchable PDF <sup>®</sup> , XPS, compact XPS, OOXML (pptx, odcx <sup>®</sup> , xlsx <sup>®</sup> ), Linearised PDF <sup>®</sup>
Destinations	2,100 (single + group), LDAP, PSDA support

<sup>\*5</sup> When copying A4 or Letter (8-1/2 x 11).

<sup>®</sup> Optional

Fax Specifications (optional)

Fax	Super G3
Transmission	Analog fax, Internet fax, Colour Internet fax, IP address fax
Resolution	Max.: 600 x 600 dpi (ultra-fine)
Compression method	MH, MR, MMR, JBIG
Modem speed	Up to 33.6 Kbps
Destinations	2,100 (single + group)

Components and Options

DK-510 Copier desk	Provides storage space for print media and other materials
DK-705 Caster table	Used to install this machine on the floor
FS-533 Inner finisher	50-sheet stapling, 500 sheets max. output
PK-519 Punch kit for FS-533	2/4 hole punching, auto switching
FS-536 Staple finisher	50-sheet stapling, tray1: max. 200-sheet output, tray2: max. 3,000-sheet output
FS-536SD Staple/booklet finisher	50-sheet staple finisher, 20-sheet booklet finisher, tray1: max. 200-sheet output, tray2: max. 2,000-sheet output
RU-513 Relay unit for FS-536/SD	For FS-536/SD installation
PK-520 Punch kit for FS-536/SD	2/4 hole punching, auto switching
JS-506 Job separator	Separation for fax output, etc.
CU-101 Air cleaning unit	Improving indoor air quality by reduced emissions
MK-745 Mount kit for CU-101	Installation kit for CU-101
MK-730 Mount kit for banner paper	Installation kit for banner paper
HT-509 Dehumidification heater	Dehumidification heater for Paper feed cabinet, for PC-115/215/415, DK-510
MK-734 Dehumidification heater power supply box	Dehumidification heater power supply box (Cabinet heater), for HT-509 Dehumidification heater
TK-101 Transformer kit	This unit is required to enable the function heater of the Large capacity unit LU-302
KP-101 10-Key pad	10-key
DF-629 Document feeder	Reversing automatic document feeder, capacity 100 originals
DF-704 Document feeder	Dual scan automatic document feeder, capacity 100 originals
SP-501 Stamp unit	Stamps a scanned original when sending a fax
OC-511 Original cover	Cover instead of ADF
WT-506 Working table	Authentication device placement
AH-101 Assist handle	Assist handle
FK-514 Fax board	Super G3 fax, fax functionality for 1st and 2nd line
UK-211 Upgrade kit	2 GB memory extension for upgrades
LK-102 v3 PDF enhancements	PDF/A, PDF encryption, digital signature
LK-104 v3 Voice guidance	Provides voice guidance functions
LK-105 v4 OCR text recognition	Searchable PDF and PPTX, PDF/A-1a
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110 v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and PDF/A
LK-111 ThinPrint® Client	Print data compression for reduced network impact
LK-114 Server-less pull printing	Server-less pull printing system
LK-115 v2 TPM activation	Trusted Platform Module for protection of data encryption and decryption
KH-102 Keyboard holder	To place USB keyboard
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection, Bluetooth LE
SC-508 Security kit	Copy guard function
MK-735 Mount kit	Installation kit for IC card reader
AU-201S IC card authentication	Various IC card technologies
AU-102 Biometric authentication	Finger vein scanner
UK-212 Wireless LAN	Access Point Mode
UK-215 Wireless LAN	Simple Access Point Mode
HD-524 Hard disk mirroring kit	Back-up HDD

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities vary depending on operating systems, applications and network protocols as well as network and system configurations.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



FOR THE EARTH. FOR THE FUTURE.

### Regional Headquarters

#### Konica Minolta Business Solutions Asia Pte Ltd.

30 Pasir Panjang Road, #06-32

Mapletree Business City

Singapore 117440

Tel: +65 6361 2800

Fax: +65 6361 2888

Email: [enquiry@konicaminolta.sg](mailto:enquiry@konicaminolta.sg)

[www.konicaminolta.asia/business](http://www.konicaminolta.asia/business)

### Presence in the region

Bangladesh . Bhutan . Brunei . Cambodia . Indonesia . Laos . Malaysia . Mauritius . Myanmar . Philippines . Singapore . Sri Lanka . Thailand . Vietnam

---

### About Konica Minolta Business Solutions Asia

Konica Minolta Business Solutions Asia is a leader in print and enterprise content management focusing on optimisation, productivity and information sharing via its broad range of office and production printing solutions and services. Backed by strong service standards and proficient support staff, Konica Minolta has won numerous awards and recognition, including placement in the Leaders Quadrant on the Gartner 2014 Magic Quadrant for Managed Print Services (MPS) and Managed Content Services (MCS). Konica Minolta, Inc. has also been named to the Dow Jones Sustainability World Index for four years in a row. For more information, please visit: <http://www.konicaminolta.sg/business/>.



Cert No:  
12 310 50050 TMS  
ISO/IEC 27001:2013



Cert No: 2015-2-2299  
ISO 9001:2008  
Cert No: 2015-06-38  
ISO 14001:2004



Printed on **AccurioPRESS C2070**